
SummerSet AllDown® Concentrate

Non-selective Broadleaf and Grass Herbicide EPA Reg. No. 84069-1



Acetic Acid	23%
Citric Acid	1404
OTHER INGREDIENTS:	620/
TOTAL 100%	03 %



GENERAL INFORMATION

Summerset AllDown® Concentrate is a fast-acting, non-selective contact herbicide for the elimination of broadleaf and grass weeds. Use in flowerbeds, vegetable gardens, around trees and shrubs, along fence lines, patios, driveways, sidewalks, fruit trees, vines, and other areas where weed control is desired. Repeat applications may be required for larger perennial weeds or if re-growth occurs.

Apply when skies are mostly sunny and no rainfall is predicted within 4-6 hours of application. Rain just after application will reduce product effectiveness. Apply when the air is calm and temperatures are 65-90° F. Best results are achieved from spring to early summer when young weeds are growing more actively, and on small weeds less than 3-5 inches high. Weeds that are mature, dormant or hardened due to moisture stress are more tolerant of herbicide treatments. Only contacted vegetation will be affected. For spot treating, apply to target vegetation in sufficient volume to thoroughly wet the leaves.

Mixing Directions: Mix 1 Part Summerset AllDown® Concentrate to 3 Parts Water. Shake or still well. For larger annuals and burndown of perennial weed growth mix stronger using 1 Part Summerset AllDown® Concentrate to 2 Parts Water. (See Below)

For control of larger annuals and burndown of perennial weed growth. Larger annual weeds and perennials are more difficult to control and may require re-treatment. Treat initially as recommended above and repeat if new growth of leaves appears. Thorough coverage of all foliage is necessary to achieve desirable control. Another effective treatment of larger annuals and perennial weeds is to mix Summerset AllDown® Concentrate stronger using 1 Part Concentrate to 2 Parts Water.

Do Not apply to desirable plants. Severe injury will occur to non-target plants if AllDown® contacts the foliage.

Do Not apply to reactive metals such as aluminum, tin, iron, or items such as fencing or lawn furniture in order to prevent staining, mottling, or otherwise harming finished metal surfaces. Do not use spray equipment whose working parts contain metal such as metal spray lines, metal nozzles, etc.

Do not apply this product through any type of irrigation system. Do not tank mix with other pesticides or fertilizers.



Canada Thistle





Before

6 Hours Later

WEEDS CONTROLLED

Annual Broadleaf Weeds such as: Chickweed, black medic, cinquefoil, lambsquarter, mustard species, oxalis, pigweed, ragweed species, shepherd's purse, stinkweed, portulaca, round-leaf mallow.

Perennial Weeds such as: Canada thistle, cinquefoil (silvery), common burdock, dandelion, ground ivy (creeping Charlie), plantain, spotted spurge, toadflax, tufted vetch, wild carrot.

Annual Grasses such as: Foxtail species, crabgrass, barnyardgrass, seedling Johnsongrass.

Perennial Grasses such as: Quackgrass, common bermudagrass, ryegrass.



Summerset Products, 130 Columbia Court, Chaska, MN 55318 Phone 952-556-0075 Fax 952-361-4217

www.summersetproducts.com